



Community Services Division

## **POLICY P505.1 ADDRESS SPECIFICATIONS**

**Effective Date: November 7, 2005**

\*Revision Date: July 12, 2007

### **PURPOSE**

In order to provide consistency, this policy provides guidance when a customer inquires about the minimum size numerals/letters required to be posted on commercial buildings, open storage yards and new construction sites.

### **GENERAL**

For all property uses, address numbers and unit identification shall be Arabic numerals or alphabet letters and shall be in a color that contrasts with the background.

### **POLICY**

1. A commercial business being conducted in a single-family dwelling shall require minimum 4" high numerals with minimum 1/2-inch brush stroke.
2. A building that is located less than 75 feet from a public right-of-way (the street on which the property is addressed) shall post minimum 12" numerals having a minimum 2" brush stroke.
3. A building that is located 75 feet to 200 feet from a public right-of-way (the street on which the property is addressed) shall post minimum 16" numerals having a minimum 3" brush stroke.

**Example:** 13333 W. McDowell. If the distance from the public right-of-way (W. McDowell) to the building is 200 feet or less, 16" numerals with 3" brush stroke shall be required.

4. A building that is located more than 200 feet from a public right-of-way (the street on which the property is addressed) shall post 24" numerals having a 4" brush stroke.

**Example:** 13333 W. McDowell. When the distance from the public right-of-way (W. McDowell) to the building exceeds 200 feet, 24" numerals with 4" brush stroke shall be required.

- \*5. Unit or suite numerals and/or letters shall be required on the rear door of multi-tenant buildings to be immediately visible. Letters or numerals shall be a minimum of 4" in height in a color contrasting to the door.

### **EXPLANATION**

Policy P505.1 is intended to (1) provide consistent guidance for customers who inquire about the size of addresses to be posted on a building and (2) addresses unit identification on the rear door of strip mall occupancies.